

Tracking And Supervising A Vehicle With An Efficient Scheme Of Approach

ORSU VEERA VENKATARAO

M.Tech Student, Department Of ECE, Nishitha
College of Engineering and Technology,
Hyderabad, T.S, India.

J SHIVA SHANKAR

Assistant Professor, Department Of ECE, Nishitha
College of Engineering and Technology,
Hyderabad, T.S, India.

Abstract: A stylish vehicle monitoring and tracking device based totally definitely totally on Embedded Linux specially droid application have emerge as produced and achieved for tracking the university car inside the location A to place B at real-time. The encouraged device ought to area inside the car whose role is determined on the internet web page and supervised at real-time. Inside the encouraged device, there can be evaluation concerning the current-day vehicle course and already focused then to the document machine of raspberry pi. Inside the advocated machine the already unique course in the raspberry pi's document machine received from car owner's android realistic cell telephone the use of android software. The recommended device furthermore preferred proper care of the visitor's safety through the use of LPG Gas leakage sensor MQ6 and temperature sensor DS18B20. The recommended tool makes use of contemporary-day technology that based totally mostly on Embedded Linux board specially Raspberry Pi and Smartphone android software program software. The encouraged device produces Gps navigation /GPRS/GSM SIM900A Module which incorporates all of the 3 subjects particularly Gps navigation GPRS GSM. The Gps navigation contemporary region within the automobile GPRS transmits the monitoring information for the server in addition to the GSM may be used as delivering alert message to car's owner mobile.

Keywords: Vehicle Monitoring; Tracking System; Raspberry Pi; Sensors; Embedded System; Smartphone Android Application;

I. INTRODUCTION

There's name for real-time monitoring the car also storing and upgrading its database of exceptional to lies to locate man there can be help quite hard in presenting the database of supervised car. To have the capability to reduce manpower and saving of cash, proper here the tool offers clean tracking answer using Embedded Linux Board [1]. Inside the encouraged system, the device offers a completely computerized tracking and monitoring inside the automobile which useful for limo bus, their marketers, and children' protection moreover it offers the proper arrival time period of the car at a selected location or forestalls. And Raspberry Pi of this the use of precision with time, kids can tougher in reading, dozing, or fun in the place of look ahead to the postponed bus. Cutting back time watching for a bus improves comfortable and efficient time manages making plans inside the student too. For monitoring the automobile the use of Gps navigation and its database, MySQL database approach is locate which advanced characteristic of Raspberry-Pi. Inside the database base monitoring and upgrading mechanism, the GSM/GPRS module can be used which transmit the up to date vehicle database for the server and character connect to the database the usage of internet page in Smartphone. That shows the specific time automobile vicinity in the Smartphone. The advocated tool get monitoring statistics within the automobile like automobile range (Unique ID), region, pace, Date, Some time to

shop to the database of Raspberry pi [2]. The tool gives university students protection mechanism using a temperature sensor and fuel leakage sensor. Hence in the situation of elevating our top temperature within the car due to some cause or leakage in the LPG gasoline in the vehicle, the alert message get ship for the driving pressure additionally to automobile owner.

II. METHODOLOGY

In ultimate decade, we take intense word from the motorists fatigue riding and vehicle robbery pastime which then reasons social actual-time hassle like injuries plus lots extra dangers situations. We day by day see or study this specific sports which can be elevating the problem internal our safety and security in public and personal industries clients could have a manner to continuously display screen a transferring vehicle at the same time as wanted while using the Smartphone and find out they believed distance and right here I'm in the automobile to acquire confirmed destination. Continuously monitoring and tracking the faculty vehicle at real-time environment using web page in Smartphone so whilst the automobile select wrong route then device delivers the conscious of the proprietor's Smartphone in addition to on raspberry pi's seem machine. Offer safety surroundings for the kids using gasoline sensor and temperature sensor via way of messaging alert. Storing and upgrading the specific time database inside the vehicle like its Speed, Time, Location, and Date which may be

useful surely in case of vehicle theft recognition. To reduce guy electricity and saving of coins, proper here the tool presents smooth monitoring solution the use of Embedded Linux Board [3]. The encouraged tool may want to get controlled using Raspberry pi which located inside the automobile. The Gps navigation navigation/GPRS/GSM SIM900A module get speak with raspberry pi the usage of USB interface. Recommended system offers student's safety using DS18B20 temperature sensor and fuel leakage sensor MQ6. These sensors get interface with raspberry pi. Once the temperature in the automobile crosses the suitable fee or LPG fuel get leakage within the car your alert message will shipped in the route of the auto's proprietor. Likewise protection mechanism supplied by the use of tool. Longitudes and latitudes from the winning route delivered on with the aid of Gps navigation input evaluation on the identical time as using stored longitudes and latitudes within the precise extendable inside the database of raspberry pi. The longitudes and latitudes from the present direction delivered on via way of Gps navigation might also want to likely get shipped closer to the server the usage of GPRS which helps to observe the car's modern region at the internet web page the use of Smartphone. For tracking the car, the advocated tool presents login facility on website on-line for automobile's proprietor, students further to their parents. When longitudes and latitudes now not complement the stored one then wrong path popularity alert rub down must in all likelihood get shipped to automobile's proprietor cellular. SIM900A Module a good way to get connects even as the usage of Raspberry pi offers the real-time monitoring data inside the vehicle as an instance longitude, range, speed, time period of the car. That information obtained from USB interface get stored to the database and further transmits for the server. The device offers tracking provision on internet web page for registered customer honestly the following: Primary Login: In this unique provision, the registered university students can music the college car inner their Smartphone the usage of Primary Login on net page. Hence simplest character's students who get registered to the gadget get entry to this login. Secondary Login: In this unique provision, the scholar's dad and mom can music the faculty car inner their Smartphone the use of Secondary Login on the web page. Hence satisfactory registered student's parents get access to this login [4]. Super Login: In this particular provision, the automobile's proprietor cans music the car in the Smartphone the use of Super Login on the net page. Hence simplest owner get admission to this login.




Fig: proposed system flowchart

III. AN OVERVIEW OF PROPOSED SYSTEM

The advocated tool get monitoring information in the automobile like vehicle range (Unique ID), region, pace, Date, Some time to save to the database of Raspberry pi. The device gives college students protection mechanism using temperature sensor and fuel leakage sensor, traveledevating our prime temperature in the automobile due to a few cause or leakage inside the LPG gas in the automobile, the alert message get ship for the cause force additionally to vehicle owner. The advocated tool offers greater protection and secure solution using android utility for wrong direction alert. The vehicle owner's Smartphone getting android software that gives the records concerning choice of precise course in a single spot to each different thru which the auto made to journey. And for this reason motive pressure drives the automobile in route that decided by way of manner of android usage of owner's Smartphone only [5]. Inside the advocated machine, the device offers a fully automatic tracking and tracking within the automobile which beneficial for limo bus, their entrepreneurs, and children's protection moreover it provides the accurate arrival time period of the auto at unique area or stop. Initially car's owner trace the made a decision path One spot to a few different on android software program that offers longitude and range of this unique course. Then android software saves that longitudes and latitudes of monitored direction in the suitable extendable to ensure that owner can deliver that report for the raspberry pi database using Bluetooth or USB port. And then the encouraged system can way further with these facts. Now the usage of document gadget programming, the present day-day longitudes and latitudes added on thru Gps navigation of Gps navigation navigation/ GPRS/ GSM SIM900A module get compares even as the usage of longitudes and latitudes delivered on by android application. Hence when the evaluation

gives a whole lot much less tolerance you have to comprehend that motive force drives the car on course i.e. One spot to every different else have to there be large amongst longitudes and latitudes then tool transmits alert message spherical the automobile owner's cellular the car is ready the wrong direction the usage of GSM. The advocated machine takes proper care of the youngsters' protection via the usage of LPG Gas leakage sensor and temperature sensor. Our prime temperature sensor DS18B20 which is based on a cord protocol substances a virtual output, therefore, might be get immediately interface at the same time as using Raspberry Pi. The component rate of our high temperature occur this gadget. When threshold temperature price can get combo by using the usage of output fee of our top temperature sensor because of some motive then alert message is going to be shipped within the course of the car owner's Smartphone. That output modern might be controlled thru using present day-day restricting resistors which assist the Raspberry pi's GPIO from damage [6]. Likewise each sensors output travelled into Raspberry pi might get fit managing threshold values so while limit crosses your alert message can be furnished to vehicle entrepreneurs cell using GSM of SIM900A module.




Fig: An overview of system design

IV. CONCLUSION

The encouraged gadget performs a vital characteristic instantly tracking and tracking of automobile by way of upgrading vehicle real-time data approximately the server aspect after sure c programming language of your power to have the potential to supervised car constantly. Recommended device additionally gives alert rub down on pupil dad and mom mobile to make certain that dad and mom additionally find out approximately their youngsters' safety. The recommended device because of this applied Smartphone generation through imparting protection and secures touring the tourist the usage of incorrect path alert mechanism deciding on a course from location one spot to any other takes place from vehicle proprietor's android utility which

assets more safety and safeguards touring the visitor. Therefore, the motive force drives the auto best spherical the car owner's designated direction. Once the driving force drives the auto spherical the incorrect direction your alert message will in all likelihood be submitted the endorsed gadget for the car's proprietor mobile similarly to audio system alert pushed the use of Raspberry pi's audio jack. Once the automobile's speed surpasses the needed rate of the fee, then the warning message will possibly be despatched from the system to the owner cellular.

V. REFERENCES

- [1] Zigong Shang, Wendi; He, Chao; Zhou, Xiaofeng; Han, Zhonghua; Peng, Hui; Shi, Haibo, "Advanced car tracking gadget based on arcgis silverlight," Modelling, Identification & Control (ICMIC), 2012 Proceedings of International Conference on , vol., no., pp.832,836, 24- 26 June 2012.
- [2] Tarapiah, S.; Atalla, S.; Alsayid, B., "Smart on-board transportation control device Geo-Casting featured," Computer Applications and Information Systems (WCCAIS), 2014 World Congress on , vol., no., pp.1,6, 17-19 Jan. 2014.
- [3] Pengfei Zhou; Yuanqing Zheng; Mo Li, "How Long to Wait? Predicting Bus Arrival Time with Mobile Phone Based Participatory Sensing," Mobile Computing, IEEE Transactions on, vol.Thirteen, no.6, pp.1228, 1241, June 2014.
- [4] Hoang Dat Pham; Drieberg, M.; Chi Cuong Nguyen, "Development of vehicle monitoring machine the use of GPS and GSM modem," Open Systems (ICOS), 2013 IEEE Conference on , vol., no., pp.89,90 four, 2-4 Dec. 2013.
- [5] SeokJu Lee; Tewolde, G.; Jaerock Kwon, "Design and implementation of car monitoring system the usage of GPS/GSM/GPRS generation and cellphone software," Internet of Things (WF-IoT), 2014 IEEE World Forum on , vol., no., pp.353,358, 6-eight March 2014.
- [6] Al Rashed, M.A.; Oumar, O.A.; Singh, D., "A actual time GSM/GPS based tracking system based totally totally on GSM cellular cellphone," Future Generation Communication Technology (FGCT), 2013 Second International Conference on , vol., no., pp.65,68, 12-14 Nov. 2013.